

Sample Received: **February 24, 2026**

COA Issued: **February 26, 2026**

## PRODUCT INFORMATION

Vendor:  
**Simon's Compounding**

Sample Name:  
**Si-1109 15mg**

Sample Type:  
**White lyophilized powder**

Batch Number:  
**NA**

MW:  
**854.9 g/mol**

## ANALYTICAL METHODS

**Identity:** Confirmed via MALDI-MS

**Purity:** RP-HPLC (214 nm)



**Content:** HPLC quantitation

## TEST RESULTS

Specification	Result	Method	Status
Identity: Si-1109	N-acetyl semax	MALDI-MS	✓ Conforms
Content	15.48 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.8%	RP-HPLC (214 nm)	✓ Conforms

## ANALYTICAL DATA

HPLC Chromatogram (Retention Time: 6.717 min)



## Mass Spectrum (MALDI-MS)



**Certification:** This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



*Shane Straight*

**Shane Straight, M.S.**  
Principal Chemist, Bioviridian Inc.

Contact: [info@bioviridians.com](mailto:info@bioviridians.com)